

L Number	Hits	Search Text	DB	Time stamp
1	12	375/219.ccls. and \$dsl and match\$5 near2 impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 17:06
2	0	375/219.ccls. and \$dsl and match\$5 near2 impedance and biquad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:14
3	2	@ad<20010522 and \$dsl and match\$5 near2 impedance and biquad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:15
4	251	@ad<20010522 and \$dsl and match\$5 near2 impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:15
5	10	@ad<20010522 and \$dsl and impedance and biquad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:51
6	12	@ad<20010522 and \$dsl and impedance and biquad\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:48
7	2	@ad<20010522 and biquad\$9 and transmit\$5 near2 cancell\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:50
8	2	@ad<20010522 and biquad\$9 and transmit\$5 near2 cancell\$8 and hybrid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:50
9	2	@ad<20010522 and biquad\$9 and transmit\$5 near2 cancell\$8 and hybrid and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:51
10	2	@ad<20000522 and biquad\$9 and transmit\$5 near2 cancell\$8 and hybrid and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:51
11	3	@ad<20000522 and \$dsl and impedance and biquad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:46
12	2	(US-5909463-\$ or US-6226322-\$).did.	USPAT	2004/07/23 12:52
13	0	(US-5909463-\$ or US-6226322-\$).did. and biquad\$9 and transmit\$5 near2 cancell\$8 and hybrid and filter and replica	USPAT	2004/07/23 12:53
14	2	(US-5909463-\$ or US-6226322-\$).did. and biquad\$9 and transmit\$5 near2 cancell\$8 and hybrid and filter and impedance	USPAT	2004/07/23 12:53
15	2	(US-5909463-\$ or US-6226322-\$).did. and biquad\$9 and transmit\$5 near2 cancell\$8 and hybrid and filter and impedance	USPAT	2004/07/23 12:57
16	1	(US-6226322-\$).did. and transmit\$5 near2 cancell\$8 and hybrid and impedance	USPAT	2004/07/23 13:19
17	1	(US-6226322-\$).did. and transmit\$5 near2 cancell\$8 and transmit near2 signal	USPAT	2004/07/23 13:25
18	0	(US-6226322-\$).did. and biquad	USPAT	2004/07/23 13:26
19	1	(US-6226322-\$).did. and biquad\$7	USPAT	2004/07/23 13:29

20	0	(US-6226322-\$).did. and summer	USPAT	2004/07/23 13:29
21	1	(US-6226322-\$).did. and sum\$6	USPAT	2004/07/23 13:30
22	1	(US-6226322-\$).did. and transfer	USPAT	2004/07/23 13:31
23	1	(US-6226322-\$).did. and transfer same line	USPAT	2004/07/23 13:32
24	0	(US-6226322-\$).did. and adaptive	USPAT	2004/07/23 13:32
25	1	(US-6226322-\$).did. and distortion	USPAT	2004/07/23 13:32
26	1	(US-6226322-\$).did. and distortion same transfer	USPAT	2004/07/23 13:35
27	0	(US-6226322-\$).did. and weighted	USPAT	2004/07/23 13:35
28	1	(US-6226322-\$).did. and duplex	USPAT	2004/07/23 13:36
29	0	(US-6226322-\$).did. and hybrid near2 amplifier	USPAT	2004/07/23 13:36
30	1	(US-6226322-\$).did. and hybrid	USPAT	2004/07/23 13:36
31	1	(US-6226322-\$).did. and amplifier	USPAT	2004/07/23 13:36
32	0	@ad<20000522 and \$dsl and combines near2 weighted with duplex	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 14:15
33	0	@ad<20000522 and \$dsl and combin\$6 near2 weighted with duplex	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:37
34	20	@ad<20000522 and \$dsl and balance near2 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:46
35	30	@ad<20000522 and \$dsl and balance\$5 near2 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:46
36	15	@ad<20000522 and \$dsl and balance\$5 adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:46
38	2	@ad<20000522 and \$dsl and balance\$5 adj network and hybrid and adaptive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:52
37	7	@ad<20000522 and \$dsl and balance\$5 adj network and hybrid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:51
39	3	6738420.pn. 6757348.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:51
40	0	@ad<20000522 and \$dsl and balance\$5 adj network and hybrid same amplitude	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:53
41	193	@ad<20000522 and hybrid same (fixed and adaptive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:53
42	136	@ad<20000522 and hybrid same (fixed and adaptive) and circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:53

43	7	@ad<20000522 and hybrid same (fixed and adaptive) and circuit and \$dsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:06
44	3	@ad<20000522 and adaptive adj hybrid and \$dsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:06
45	10	(US-6208732-\$ or US-5909463-\$ or US-6748076-\$ or US-6226322-\$ or US-6317464-\$ or US-6542477-\$ or US-6298046-\$).did. or (US-20020121930-\$ or US-20020114381-\$ or US-20020041247-\$).did.	USPAT; US-PGPUB	2004/07/23 14:13
46	0	((US-6208732-\$ or US-5909463-\$ or US-6748076-\$ or US-6226322-\$ or US-6317464-\$ or US-6542477-\$ or US-6298046-\$).did. or (US-20020121930-\$ or US-20020114381-\$ or US-20020041247-\$).did.) and notch	USPAT; US-PGPUB	2004/07/23 14:14
47	5	@ad<20000522 and duplex and impedance and notch and bridged	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:17
48	5	@ad<20000522 and duplex and impedance and notch\$2 and bridged	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:17
49	72	@ad<20000522 and duplex and impedance and notch\$2 and bridg\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:18
50	2	@ad<20000522 and duplex and impedance and notch\$2 same bridg\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:19
51	103	@ad<20000522 and impedance and notch\$2 with bridg\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:19
52	1	@ad<20000522 and impedance and notch\$2 with bridg\$3 near tap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:20
53	0	@ad<20000522 and impedance and notch\$2 with bridg\$3 near tap and adaptiv\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:20
54	1	@ad<20000522 and impedance same match and notch\$2 with bridg\$3 near tap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:20
55	0	@ad<20000522 and impedance same match and notch\$2 with bridg\$3 near tap and duplex	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 15:39
56	1	@ad<20000522 and impedance same match and notch\$2 with bridg\$3 near tap and dsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:21

57	0	@ad<20000522 and impedance same match and notch\$2 with bridg\$3 near tap and \$5plex	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:21
58	0	@ad<20000522 and impedance same match and notch\$2 with bridg\$3 near tap and dsl same freuqnecy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:21
59	1	@ad<20000522 and impedance same match and notch\$2 with bridg\$3 near tap and dsl same frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:30
60	1	6314181.pn. and impedance same match	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:33
61	1	@ad<20000522 and impedance same match and notch\$2 with bridg\$3 near tap and dsl same frequency and transfer near2 function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:31
62	0	@ad<20000522 and impedance same match and notch\$2 with bridg\$3 near tap and dsl same frequency and transfer near2 function and hybrid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 17:06
64	0	6298046.pn. and hybrid and biquad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:32
65	0	6298046.pn. and hybrid and summer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:32
66	0	6298046.pn. and hybrid and sum\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:32
67	0	6314181.pn. and summer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:33
68	0	6314181.pn. and biquad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:33
69	1	@ad<20000522 and biquad same notch same summer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:34
63	2	6298046.pn. and hybrid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:52
70	1	6298046.pn. and passive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:52

71	1	6298046.pn. and passive and active	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 14:52
72	120	@ad<20000522 and impedance same match same absence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 15:39
73	106	@ad<20000522 and impedance same match same absence and circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 15:39
74	21	@ad<20000522 and impedance same match with absence and circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 15:40
75	27	@ad<20000522 and impedance same match with absence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 15:42
76	1	@ad<20000522 and impedance same match with no near2 distort\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 17:06
77	5	@ad<20000522 and impedance same match same absence and duplex	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 17:02
78	0	@ad<20000522 and impedance same match same absence and \$5dsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 15:48
79	0	@ad<20000522 and impedance same match same absen\$5 and \$5dsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 15:49
80	37	@ad<20000522 and impedance same match same without near2 (distortion noise interference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 15:49
81	114	@ad<20000522 and impedance same match\$5 same without near2 (distortion noise interference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 15:49
82	105	@ad<20000522 and impedance with match\$5 same without near2 (distortion noise interference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 15:49
83	14	@ad<20000522 and impedance with match\$5 same without near2 (distortion noise interference) and hybrid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 16:43
84	0	4539566.pn. and dsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 16:43

85	0	4539566.pn. and \$5dsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 16:43
86	0	6298046.pn. and dsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 16:45
87	1	6298046.pn. and \$3dsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 17:01
88	2	4539566.pn. and biquad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 17:01
89	14	@ad<20000522 and biquad with advantage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 17:02
90	13	@ad<20000522 and biquad with advantage and circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 17:03
91	1	@ad<20000522 and biquad with advantage and circuit and dsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 17:03
92	1	@ad<20000522 and biquad with advantage and circuit and \$5dsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 17:03
93	14	@ad<20000522 and biquad with advantage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 17:03
94	0	@ad<20000522 and impedance same match with no near2 distort\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 17:06
95	4235	@ad<20000522 and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 17:06
96	0	375/219.ccls. and \$dsl and match\$5 near2 impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/23 17:06
-	2	6593828.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 17:34
-	2	6282559.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 17:38

-	2	6208732.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 17:40
-	0	6208732.pn. and irregularities	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 17:40
-	1	6208732.pn. and duplex	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 17:42
-	2	6281829.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 17:44
-	2	6208732.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 17:44